

Baseboards

EVO

*Floor skirting boards EVO /
Skirting boards EVO*




decorative
revolution

***Decorative
resolution***

***Decoration
rEVolution***

EVO



A decorative revolution

The EVO skirting board combines innovative and practical solutions. One of its main advantages is the innovative Click-fit system that enables extremely fast and easy assembly and disassembly of the skirting board at any time regardless whether you want to mask extra electric wires or just paint the wall or change the wallpaper. The color collection of the EVO skirting board allows for a perfect match with any interior design and all types of flooring.

Decorative resolution

The EVO skirting board combines an innovative and practical solution. One of its main advantages is the innovative Click-fit System, allowing casting extremely quickly and easily mount and dismantle the skirting board in any time no matter you want to mask extra electric wires or just paint the wall either change wallpaper. Decor collection skirting board EVO fits perfectly into interior of any style and suitable for every type of floor.

Decoration rEVolution

EVO skirting board connects innovative and practical solutions. One of the main advantages is the Click-fit System which allows for a fast and an easy installation or reinstallation in any moment irrespective of the fact that what you wish to do: hide extra electrical cables, paint the wall or change the wallpaper. The colors of EVO skirting boards allow for ideal matching for all kind of interior designs and all kind of floors.



Click-fit System

Available on the
App Store



ANDROID APP ON
Google play





zalety listwy / advantages of the skirting board / advantages of the skirting board



Click-fit System

- enables instant assembly and disassembly of the skirting board during renovation or changing the interior arrangement

Click-fit System

- Allows instant installation and dismantle the plinth during repairs or interior design changes

Click-fit System

- provides for immediate skirting board assembly and dismantling during repairs and interior rearrangement



Uniform decorative surface

- modern, slim shape of the skirting board, without visible joints and edges, ensures the highest aesthetics of each floor

Complete decorative surface

- modern, streamlined shape of the skirting board, without visible joints and edges, guarantees any floor the highest level of aesthetics

Unitary decoration surface

- a modern slim shape of the skirting board, without visible connections and edges, ensuring top aesthetic values on each floor



installation system / installation system



Accurate measurement and cutting of the skirting board to size.
Precise measurement and cutting of skirting boards to size.
Exact measurement and trimming the skirting board to the desired dimensions.



Mounting the skirting board using quick-assembly pins or glue.
Mounting the skirting board with quick fixing dowels or glue.
Skirting board fixing with fast fixing studs or glue.



Installation of the inner corner.
Installation of the inner corner.
Fixing of internal corners.



Montaż dekoracyjnej części listwy poprzez wsunięcie jej w narożnik.
Installation of the decorative part of the plinth by inserting it into the corner.
Fixing of the decorative skirting board part by inserting into the corner.




Installation of the external corner to the decorative strips.
Installation of the outer corner on decorative skirting boards.
Fixing of external corners to decorative skirting boards.



Ready EVO system - perfectly matched corners they do not fall off even with an accidental blow during cleaning.
Ready-made EVO system - perfectly fitted corners do not fall off even if accidentally bumped during cleaning.
The finished EVO system - excellently matched corners do not fall off even with an accidental impact at cleaning.

EVO

accesoria / accessories / accessories



Narożnik wewnętrzny
Inner corner
Inside corner



Narożnik zewnętrzny
External corner
Outside corner





Łącznik
Connector
Connector



Zakończenie prawe / lewe
Cap right / left
Right / left endcap

sposób pakowania / packaging method / packaging system



2	2	2	X	X	2
20	20	20	20	20	X
100	100	100	100	100	100
400	400	400	400	400	400



kolorystyka / colors / colors



25-71-0-029E

Djyb Zamkowy
Castle Oak
Castle Oak



25-71-0-030E

Fresco
Fresco
Fresco



25-71-0-031E

Navarra
Navarra
Navarra



25-71-0-032E

Djyb Kardamonowy
Cardamom Oak
Cardamom Oak




25-71-0-024E

Alabaster
Oak Alabaster
Alabaster Oak



25-71-0-028E

Djyb Aspen
Oak Aspen
Aspen Oak



25-71-0-026E

Djyb Boulder
Dub Boulder
Boulder Oak




25-71-0-027E

Djyb Corona
Oak Corona
Corona Oak




25-71-0-025E

Djyb Nike
Oak Nike
Nike Oak



25-71-0-023E

Wenge
Wenge
Wenge



25-71-0-001E

Biały
Bely
White



25-71-0-002E

Aluminum
Aluminum
Aluminium




25-71-0-004E

Sandal tree
Sandalwood
Sandal Wood



25-71-0-006E

Red River Hicory
Red River Hicory
Red River Hicory



25-71-0-014E

Husky Oak
Dub Husky
Husky Oak



25-71-0-016E

Vyaz
elm
Elm



25-71-0-017E

Jesion Biały
White Ash
White Ash



25-71-0-013E

Djyb Jajminowy
Jasmine Oak
Jasmine Oak



25-71-0-011E

Djyb Chillout
Oak Chillout
Chillout Oak



25-71-0-005E

Djyb Skalisty
Rocky Oak

kolorystyka / colors / colors



25-71-0-007E
Leonardo Oak
Dub Leonardo
Leonardo Oak




25-71-0-008E
Walnut Blues
Walnut Blues
Blues Walnut



25-71-0-009E
Dyń Palony
Burnt Oak
Burned Oak



25-71-0-010E
Dyń Antyczny
Antique Oak
Antic Oak



25-71-0-015E
Orzech Secesja
Walnut Modern
Secession Oak



25-71-0-018E
Dyń Pastelowy
Pastel Oak
Pastel Oak



25-71-0-019E
Dyń Soul
jŷj Soul
Soul Oak



25-71-0-020E
Dyń Szlachetny
Noble Oak
Noble Oak



25-71-0-021E
Dyń Rustykalny
Rustic Oak
Rustic Oak



25-71-0-022E
Dyń Exclusive
jŷj Exclusive
Exclusive Oak

Poli-Eco Plastics Sp. z o. o. ul.
Winners 7,
68-200 Zary
NIP: 924-17-30-354

Secretariat
tel. +48 68 478 44 00
fax +48 68 478 44 01
sekretariat@poli-eco.pl

OOO Poli-Eco Tworzywa Sztuczne
ul. Zwyentsuv 7
68-200 Zary
TIN: 924-17-30-354

Secretariat
tel. +48 68 478 44 00
fax +48 68 478 44 01
sekretariat@poli-eco.pl

Poli-Eco Plastics Sp. z o. o
Winners 7 Street
68-200 Zary
NIP: 924-17-30-354

Office
tel. +48 68 478 44 00
fax: +48 68 478 44 01
sekretariat@poli-eco.pl